

$t_{10}$ 和 $t_{90}$ 缩短,硫化反应速率常数 $k$ 增大,硫化反应活化能 $E_a$ 降低;随着甜菜碱用量增大, $k$ 和 $E_a$ 变化不大,硫化胶膜的交联密度显著提高。

#### 参考文献:

- [1] 谭海生. 胶乳制品工艺学[M]. 北京: 中国农业出版社, 2006.
- [2] Sekhar B C. 天然胶乳的基本特性与生胶性质[J]. 林文光, 译. 云南热作科技, 1993, 16(1): 44-46.
- [3] 邢晋祎. 甜菜碱及其作用机理[J]. 生物学教学, 2010, 35(2): 2-3.
- [4] 满晨, 干小英, 刘庆生. 甜菜碱的制备和应用[J]. 精细与专用化学品, 2003(1): 11-12.
- [5] Murray C W, Walter E D. Isolation of Betaine from Guayule[J]. Journal of the American Chemical Society, 1945, 67(8): 1422.
- [6] 魏邦柱. 胶乳乳液应用技术[M]. 北京: 化学工业出版社, 2003.
- [7] 胡又牧, 魏邦柱. 胶乳应用技术[M]. 北京: 化学工业出版社, 1990.
- [8] 何映平. 天然橡胶加工学[M]. 海口: 海南出版社, 2007.
- [9] 林新花, 陈朝晖, 王迪珍. 有机锌盐橡胶硫化促进剂作用机理研究进展[J]. 材料导报, 2008(8): 29-32.

## Effect of Betaine on Vulcanization Characteristics of NR Latex Film

Luo Wenjie, Li Yanfei

(Technical Innovation Center of Guangken Rubber Group, Gaozhou 525200, China)

**Abstract:** The effect of betaine on the vulcanization characteristics of NR latex film was studied with the use of an oscillating disc rheometer. The results showed that  $M_H$ ,  $M_L$ ,  $t_{10}$  and  $t_{90}$  decreased with the addition of betaine. The parameters of curing kinetics were then calculated using Arrhenius equation. The curing reaction activation energy ( $E_a$ ) of NR latex film with betaine was smaller than that of original NR latex film while the reaction rate constant ( $k$ ) was higher. With the increase of betaine amount, the curing rate and crosslinking degree of the vulcanizates increased.

**Keywords:** NR latex film; betaine; vulcanization characteristics; kinetics

### 信息·资讯

#### 欧洲轮胎网络销售前景看好

据英国弗洛斯特与沙利文(Frost & Sullivan)咨询公司预测,随着网络的快速发展,到2020年,欧洲轮胎销售量中20%将通过网络销售来实现。从汽车零部件电子零售市场

的持续增长可以看出互联网对汽车行业的影响。网络销售新颖、灵活,可以提供个性化的购物体验,满足客户的需求,也给售后市场经营者提供了新的商机。

郭 汐